

Product Code: Date of issue: NC.294515_112_02_US August 2013

Supersedes: September 2009

Product identifier	Ultrasol 9-45-15 Premium Start	
Recommended uses:		
Fertilizer end-use, preparation of fertili	zers mixtures.	
Dry fertilizer for mixing with water for f	foliar and soil applications.	
Restrictions on uses:		
None		
Manufacturer	SQM North America	
	2727 Paces Ferry Rd, Building Two, Suite 1425	
	Atlanta, GA 30339	
Company Telephone/Fax	(770) 916 9400 / (770) 916 9404	
Emergency Telephone Number	(800) 424 9300 (CHEMTREC)	

2. HAZARDS IDENTIFICATION

Classification of the mixture

Classification of the chemical in accordance with 29CFR §1910.1200 Hazard classes and Hazard categories Hazard statements Taxis to see the device of the formation of the second statements

Toxic to reproduction cat. 1B

Hazard statements May damage fertility. May damage the unborn child.

Label elements Hazard pictograms



Signal word Hazard Statements

May damage fertility. May damage the unborn child.

Precautionary Statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Wear protective gloves / protective clothing / eye protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up

Dispose of contents/container according to local/state/federal regulations.

Other hazards

None

Classification of the relevant ingredients of the mixture in accordance with 29CFR §1910.1200

Potassium nitrate	Oxidizing solid, Cat. 3
Boric acid	Toxic to reproduction, Cat. 1B

3. COMPOSITION/INFORMATION ON INGREDIENTS

This product is to be considered as a mixture/preparation			
Substance name	CAS No	EC No	Concentration
Potassium nitrate	7757-79-1	231-818-8	5% - 50%
Boric acid	10043-35-3	233-139-2	< 3%
Perchlorate (ClO ₄)			< 0.01%
lodate (IO ₃ ⁻)			< 50 ppm

4. FIRST AID MEASURES

Description of first aid measures General information

In case of persisting adverse effects consult a physician.

Never give anything by mouth to an unconscious person or a person with cramps.



Product Code: Date of issue: NC.294515_112_02_US August 2013

Supersedes: September 2009

Remove to fresh air and l	keep at rest in a position comfortable for brea	thing.
Get medical attention for		
In case of skin contact		
Wash with plenty of soap	and water.	
	et medical advice/attention.	
In case of eye contact		
-	er for several minutes. Remove contact lense	s, if present and easy to do. Continue rinsing.
If eye irritation persists: (Get medical advice/attention.	
In case of ingestion		
Rinse mouth and drink pl	enty of water. Do not induce vomiting.	
Call a POISON CENTER or	doctor/physician if you feel unwell.	
Most important sympton	ns and effects, both acute and delayed	
The following symptoms	may occur:	
In case of inhalation	Irritation to respiratory tract	
	Delayed lung effects after short term expo	sure to thermal degradation products.
In case of skin contact	May cause redness or irritation	
In case of eye contact	May cause redness or irritation	
	Ingestion of large amounts may cause:	gastrointestinal disturbances
In case of ingestion		

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Extinguishing media

Use any suitable mean for extinguishing surrounding fire.

Unsuitable material:

None, but attention should be paid to compatibility with chemicals surrounding.

Specific hazards arising from the chemical

Thermal decomposition can lead to the escape of toxic/corrosive gases and vapours.

Thermal decomposition products: Nitrous oxides (NOx), nitrites, phosphorus oxides, ammonia and metallic oxides.

Protective equipment and precautions for firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (self contained breathing apparatus (SCBA)).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Provide adequate ventilation. Wear personal protection equipment (Section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Ensure waste is collected and contained.

Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal or recovery.

Unsuitable material for containment/taking up: None specified

Other information

None

7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid generation of dust. Provide adequate ventilation. Wear personal protective equipment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Product Code: Date of issue: NC.294515_112_02_US August 2013

Supersedes: September 2009

Conditions for safe storage, including any incompatibilities

Keep/store only in original container. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

		Potassium nitrate	Boric acid
OSHA	PEL	Not Established	Not Established
	STEL/ceiling	Not Established	Not Established
ACGIH (20)12 TLVs [®] and BEIs [®])		
	TWA	Not Established	2 mg/m ³ (inhal. fraction)
	STEL/ceiling	Not Established	6 mg/m ³ (inhal. fraction)
Derived N	Io-Effect Level (DNEL) sugge	ested by the manufacturer	

Workers (industrial) professional).	
Potassium nitrate	
DNEL Human, dermal, long term (repeated):	20.8 mg/kg/day (systemic)
DNEL Human, inhalation, long term (repeated):	36.7 mg/m ³ (systemic)
Boric acid	
DNEL Human, dermal, long term (repeated):	4800 mg B/day (systemic)

Derived No-Effect Level (DNEL) is the level of exposure to the substance above which humans should not be exposed.

Engineering controls

Exposure Guidelines

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal Protective Equipment

Eye/face protection	Chemical goggles required all the time.
Skin Protection	Nitrile rubber gloves, over 0.11 mm thickness, > 480 min breakthrough time, recommended. Overall.
Respiratory Protection	Wear respiratory protection, where airborne concentrations are expected to exceed exposure limits

General Hygiene Considerations

Avoid contact with eyes and skin. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties				
Appearance	Solid, granular or crystalline powder			
Colour	white to pale blue			
Odour	Odourless			
Odour Threshold	No applicable			
pH value	No data available			
Melting point / freezing range	No data available			
Boiling temperature / boiling range	Not applicable			
Flash point	Not applicable			
Vapourisation rate / Evaporation rate	No data available			
Flammable solids	Not flammable			
Explosion limits (LEL, UEL)	Not applicable			
Vapour pressure	No data available			
Vapour density	No data available			



Product Code: Date of issue:

NC.294515_112_02_US August 2013

Supersedes: September 2009

- Relative Density Solubility Partition coefficient n-octanol /water Auto Ignition temperature (AIT) Decomposition temperature Viscosity Explosive properties Oxidising properties **Other information** None
- No data available > 100 g/L at 20°C/68°F (water) Not applicable Not applicable No data available Not applicable Not explosive Not oxidizer

10. STABILITY AND REACTIVITY

Reactivity No hazardous reaction when handled and stored according to provisions. Chemical stability Stable under normal storage and temperature conditions. Possibility of hazardous reactions None identified Conditions to avoid None identified Incompatible materials None identified Hazardous decomposition products Thermal decomposition products:

11. TOXICOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Likely routes of exposure (inhalation, ingestion, skin and eye contact)

Eye contact, skin contact and inhalation. Exposure by ingestion is not expected to occur through normal industrial or agricultural use.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritant to the respiratory tract. May cause redness or irritation to the skin and eyes. Ingestion of large amounts may cause gastrointestinal disturbances. May cause delayed lung effects after short term exposure to thermal degradation products.

Information on toxicological effects from short and long term exposure

There is no data for the mixture itself.

Acute toxicity		
Acute oral toxicity	LD50:	
Acute Toxicity Estimate for the mixture	> 2000 mg/kg bw	(additivity formula)
Potassium nitrate	>2000 mg/kg bw	
Boric acid	3765 mg/kg bw	
Assessment / classification:	Based on available data fo	or the ingredients of the mixture, the classification criteria
	are not met.	
Irritant and corrosive effects		
Irritation to the skin	Result	Method
Potassium nitrate	non-irritant.	Equivalent/similar to OECD guideline 404
Boric acid	non-irritant.	Equivalent/similar to OECD guideline 404
Assessment / classification:	Based on available data, th	e classification criteria are not met
Irritation to eyes	Result	Method
Potassium nitrate	Not-irritating	OECD Guideline 405
Boric acid	Not-irritating	Equivalent/similar to OECD guideline 405
Assessment / classification:	Based on available data, th	e classification criteria are not met
		4 of



Product Code: Date of issue:

NC.294515_112_02_US August 2013

Supersedes: September 2009

Respiratory or skin sensitizationNethod Nethod Net
Boric acid not sensitizing. OECD Guideline 406 Respiratory sensitisation No information available. Assessment / classification: Based on available data, the classification criteria are not met Genetic effects The product does not contain ingredients classified as germ cell mutagens. Bacterial (Ames Test) Chromosomal aberrations Mutation in mammalian cells Potassium nitrate negative negative negative negative Boric acid negative negative negative negative Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity Adverse effects on sexual function and fertility/developmental toxicity DECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boron have not been to hown to adverse y affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDLO5): 10.3 mg B/kg bw/day Mozeu feffects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) Fractical experience / human evidence Potassium nitrate Boric acid No relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been o
Respiratory sensitisation No information available. Assessment / classification: Based on available data, the classification criteria are not met Genetic effects Bacterial (Ames Test) Chromosomal aberrations Mutation in mammalian cells Potassium nitrate negative negative negative negative Boric acid negative negative negative negative Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity negative negative negative Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity DECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDLO5): 10.3 mg B/kg bw/day Meetopamental effects in human sattributable to boron in studies of populations with high exposures to boron. No adverse effects on available data for ingredients of the mixture, this product i
Assessment / classification: Based on available data, the classification criteria are not met Genetic effects The product does not contain ingredients classified as germ cell mutagens: Bacterial (Ames Test) Chromosomal aberrations Mutation in mammalian cells Potassium nitrate negative negative negative Boric acid negative negative negative Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity Reproductive toxicity negative negative Adverse effects on sexual function and fertility/developmental toxicity UCCD guideline 422. OECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDLOS): 10.3 mg B/kg bw/day Lertical effect is so considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposure to boron. Assessment / classification: Based on available data or ingredients of the mixture, this product is classified and labelled as P
Genetic effectsBacterial (Ames Test)Chromosomal aberrationsMutation in mammalian cellsPotassium nitratenegativenegativenegativeBoric acidnegativenegativenegativeAssessment / classification:Baced on available data, the classification criteria are not metReproductive toxicityAdverse effects on sexual function and fertility/developmental toxicityOECD guideline 422.Potassium nitrateNo Adverse effects on fertility/development (NOAEL >1500 mg/kg bw).Borin has been shown to adverse effects attributable to boron have not been demonstrated in studies of highty exposed workers. developmental toxicityBenchmark dose (BMDLOS): 10.3 mg B/kg bw/dayMovelopmental fefects in humans attributable to boron have not been developmental toxicityBenchmark dose (BMDLOS): 10.3 mg B/kg bw/dayDevelopmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for impredients of the mixture, this product is classified and labelled as Presumed humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for impresumed to studies of populations with high exposures to boron.Assessment / classification:Based on available data for impresumed to studies of populations with hi
Genetic effectsBacterial (Ames Test)Chromosomal aberrationsMutation in mammalian cellsPotassium nitratenegativenegativenegativeBoric acidnegativenegativenegativeAssessment / classification:Baced on available data, the classification criteria are not metReproductive toxicityAdverse effects on sexual function and fertility/developmental toxicityOECD guideline 422.Potassium nitrateNo Adverse effects on fertility/development (NOAEL >1500 mg/kg bw).Borin has been shown to adverse effects attributable to boron have not been demonstrated in studies of highty exposed workers. developmental toxicityBenchmark dose (BMDLOS): 10.3 mg B/kg bw/dayMovelopmental fefects in humans attributable to boron have not been developmental toxicityBenchmark dose (BMDLOS): 10.3 mg B/kg bw/dayDevelopmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for impredients of the mixture, this product is classified and labelled as Presumed humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for impresumed to studies of populations with high exposures to boron.Assessment / classification:Based on available data for impresumed to studies of populations with hi
Bacterial (Ames Test)Chromosomal aberrationsMutation in mammalian cellsPotassium nitratenegativenegativenegativeBoric acidnegativenegativenegativeAssessment / classification:Based on available data, the classification criteria are not metReproductive toxicityAdverse effects on sexual function and fertility/developmental toxicityOECD guideline 422.Potassium nitrateNo adverse effects on fertility/development (NOAEL >1500 mg/kg bw).Boric acidfertilityNOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study)Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers.developmental toxicityBenchmark dose (BMDLOS): 10.3 mg B/kg bw/dayDevelopmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric
Potassium nitratenegativenegativenegativenegativeBoric acidnegativenegativenegativenegativeAssessment / classification:Based on available data, the classification criteria are not metReproductive toxicityAdverse effects on sexual function and fertility/developmental toxicityPotassium nitrateNo adverse effects on fertility/development (NOAEL >1500 mg/kg bw).Boric acidfertilityNOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study)Boric acidfertilityBoron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers.developmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/daydevelopmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/dayAssessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No relevant effect have been observed after single exposure to the substance. No relevant effect have been observed after single exposure to the substance. No relevant effect have been observed after single exposure to the substance. No relevant effect have been observed after single exposure to the substance. No r
Boric acid negative negative negative Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity Image: Classification criteria are not met Adverse effects on sexual function and fertility/developmental toxicity OECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Masessment / classification: Based on available data for ingredients of the mixture, this product is classified and ingreposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and ingreposure to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and ingreposure to polarity with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure Practical expreience / human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.
Assessment / classification: Based on available data, the classification criteria are not met Reproductive toxicity Adverse effects on sexual function and fertility/developmental toxicity OECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) ractical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Reproductive toxicity OECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to potassium nitrate.
Adverse effects on sexual function and fertility/developmental toxicity OECD guideline 422. Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
OECD guideline 422.Potassium nitrateNo adverse effects on fertility/development (NOAEL >1500 mg/kg bw).Boric acidfertilityNOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers.developmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Potassium nitrate No adverse effects on fertility/development (NOAEL >1500 mg/kg bw). Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility Boric nas been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Boric acid fertility NOAEL (male rats): 17.5 mg B/kg bw/day (Multigeneration study) Boric acid fertility Boron has been shown to adversely affect male reproduction in laboratory animals, however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers. developmental toxicity Benchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
however, male reproductive effects attributable to boron have not been demonstrated in studies of highly exposed workers.developmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
developmental toxicitydemonstrated in studies of highly exposed workers.developmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
developmental toxicityBenchmark dose (BMDL05): 10.3 mg B/kg bw/day Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Developmental effects have been observed in laboratory animals. The critical effect is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Prectical experience / human evidenceThe product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
is considered to be decreased fetal body weight in rats. There is no evidence of developmental effects in humans attributable to boron in studies of populations with high exposures to boron. Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B , in accordance with Appendix A to 29CFR section 1910.1200. Specific target organ toxicity (single exposure) The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidence Potassium nitrate Boric acid No relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
developmental effects in humans attributable to boron in studies of populations with high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Precical experience / numan evidenceThe product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
high exposures to boron.Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Assessment / classification:Based on available data for ingredients of the mixture, this product is classified and labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)Product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
labelled as Presumed human reproductive toxicant, Category 1B, in accordance with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate. No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
with Appendix A to 29CFR section 1910.1200.Specific target organ toxicity (single exposure)The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure.Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Specific target organ toxicity (single exposure) The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure. Practical experience / human evidence Potassium nitrate No relevant effect have been observed after single exposure to potassium nitrate. Boric acid No relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
The product does not contain relevant ingredients classified as Target Organ Toxicant after single exposure.Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Practical experience / human evidencePotassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Potassium nitrateNo relevant effect have been observed after single exposure to potassium nitrate.Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
Boric acidNo relevant effect have been observed after single exposure to the substance. No reliable study supports the designation of boric acid as a respiratory irritant.
reliable study supports the designation of boric acid as a respiratory irritant.
Assessment / classification: Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)
Organs affected: Effects Guideline
Potassium nitrate None No effects (NOAEL >1500 mg/kg bw) OECD 422
Boric acidTestesNOAEL (chronic, rat): 17.5 mg B/kg bw/day
A number of studies on boric acid or disodium tetraborate decahydrate in diet or via drinking water for periods of 30 days to two
years in rats, mice and dogs are available. Most studies support that boron can cause adverse haematological effects and that the
main target organ of boron toxicity is the testis.
Assessment / classification: Based on available data for ingredients of the mixture, this product is classified and
labelled as Presumed human reproductive toxicant, Category 1B, in accordance
with Appendix A to 29CFR section 1910.1200.
Aspiration hazard

Physicochemical data and toxicological information does not indicate an aspiration hazard. Assessment / classification: Based on available data, the classification criteria are not met

SOM	PRODUCT NAME ULTRASO		to OSHA-GHS (29 CFR part 1910.1200 HCS 2012) OL 9-45-15 PREMIUM START 5 112 02 US		
SQM HE WORLDWIDE USINESS FORMULA	Date of issue:	August 2013	.12_02_03	Supersedes:	September 2009
Carcinogen	icity				
Internation	al Agency for Research on Car	icer (IARC)	No component of this pr probable, possible or con	•	t levels ≥0.1% is identified as arcinogen by IARC.
National To	oxicology Program (NTP)		No component of this pr known or anticipated care	•	t levels ≥0.1% is identified as
29 CFR part	: 1910, subpart Z		No component of this pr carcinogen or potencial c	•	t levels ≥0.1% is identified as HA.
California P	roposition 65		No component of this pr carcinogen by California F	•	t levels ≥0.1% is identified as
WHO (2003	3) Nitrate in drinking water		• •	•	in humans and the risk of
Assessment	t / classification:	Based on ava	ilable data, the classification	on criteria is not	met

Other Toxicological Information

This product contains trace amounts of naturally-occurring perchlorate and iodate. Like other goitrogenic substances, perchlorate may affect iodine uptake by thyroid under specific conditions.

12. ECOLOGICAL INFORMATION

There is no data for the mixture itself. The following information mostly refers to the major component of the product. **Ecotoxicity**

Aquatic Toxicity

Potassium nitrate

	96-h LC50	1378 mg/L	Poecilia reticulata (freshwater fish)
	24-h EC50	490 mg/L	Daphnia magna (fresh water flea).
	10 d EC50	> 1700 mg/L	Several algae species
Boric acid			
	96-h LC50	74 - 725 mg B/L	Fish
	48-h EC50	45 - 1376 mg B/L	Aquatic invertebrates
	72-h EC50	40 mg B/L	Algae (Pseudokirchneriella subcapitata)
Assessmen	t / classification		Based on available data, the classification criteria are not met

Persistence and degradability

The product contains mainly inorganic nitrate and phosphate salts. In aqueous solutions, these salts dissociate into their respective ions. Phosphate ions are finally incorporated into the Phosphorus cycle. Under anoxic conditions, denitrification occurs and nitrate is ultimately converted into molecular nitrogen as part of the Nitrogen cycle.

Bioaccumulative potential

Low potential for bioaccumulation based on physicochemical properties of main components.

Mobility in soil

The components of this mixture have a low potential for adsorption. Portion not taken up by plants, can leach to groundwater. **Other adverse effects**

Excess nitrate leaching may enrich waters leading to eutrophication.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable federal and state laws.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal method in compliance with applicable regulations.

This product is not listed as dangerous waste in the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.



Product Code: Date of issue: NC.294515_112_02_US August 2013

Supersedes: September 2009

TRANSPORTATION INFORM	
UN-No.	Non dangerous good
UN Proper Shipping Name	Not applicable
Hazard class	Not applicable
Packing group	Not applicable
Hazard label(s)	Not applicable
Special marking	No
Special Provision	No
International Maritime Organization	
UN-No.	
	Non dangerous good
UN Proper Shipping Name	Not applicable
Hazard class	Not applicable
Packing group	Not applicable
Marine pollutant	No
Hazard label(s)	Not applicable
Special marking	No
_	ation (ICAO) and International Air Transport Association (IATA)
UN-No.	Non dangerous good
UN Proper Shipping Name	Not applicable
Hazard class	Not applicable
Packing group	Not applicable
Hazard label	Not applicable
Special marking	No
Special handling procedure	
None	
Transport in bulk according to Anne	ex II of MARPOL 73/78 and the IBC Code
Not applicable	
Other special precautions	
None	

15. REGULATORY INFORMATION

US Federal				
SARA Title III	Rules			
	Section 311/312 Ha	azard Classes		
	Acute Health Hazard		No	
	Chronic Health Hazard		Yes (Toxic to reproduction)	
Fire Hazard			No	
Release of Pressure		5	No	
	Reactive Hazard		No	
Section 313	Foxic Chemicals			
N511 Nitrate compounds (water dissociable; reportable only when in aqueous solution				
Section 302 Extremely Hazardous Substances (EHS)/CERCLA Hazardous Substances				
	None ingredient is listed.			
NFPA 704/2012: National Fire Protection Association				
	Health	1		
	Fire	0		
	Reactivity	0		
	Special	None		



Product Code: Date of issue:

NC.294515_112_02_US August 2013

Supersedes: September 2009

US State Regulations	
California Proposition 65	None ingredient is listed.
California Code of Regulations Title 22 (Health & Safety	See http://www.dtsc.ca.gov/hazardouswaste/perchlorate/
Code), Chapter 33	
Chemical Inventories	
United States TSCA	All ingredients are listed
Canada DSL	All ingredients are listed
European Union (EINECS)	All ingredients are listed
Japan (METI)	All ingredients are listed

16. OTHER INFORMATION

This SDS complies with 29 CFR part 1910 subpart Z (2012) and ANSI Standard Z400.1-2004

Prepared by	Regulatory Affairs Department, SQM
E-mail	product_safety@sqm.com
	spn-northamerica@sqm.com
Preparation date	August 2013

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall SQM be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if SQM has been advised of the possibility of such damages.

Indication of changes

All sections were reviewed and modified to comply with 29CFR part 1910 subpart Z (2012).