

SAFETY DATA SHEET



PRINCE AGRI PRODUCTS, INC.

Advancing Nutrition for Healthy Animals®

RED IRON OXIDE/ ROUGE

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

GHS Product Information

Product Name: RED IRON OXIDE/ ROUGE
Business Unit Prince Agri
Other means of identification: Not available

Safety data sheet number: 5178-500 -US-E

Recommended use of the chemical and restrictions on use

Recommended use: No information available.

Uses advised against: No information available

Details of the supplier of the safety data sheet

Supplier: Prince Agri Products, Inc 229 Radio Road Quincy, IL 62305 Tel: 217-222-8854 Fax: 217-222-5098 Toll Free: 800-677-4623 Email: prince@princeagri.com	Manufacturer: Prince Agri Products, Inc 229 Radio Road Quincy, IL 62305 Tel: 217-222-8854 Fax: 217-222-5098 Toll Free: 800-677-4623 Email: prince@princeagri.com
--	--

SDS Contact (email of responsible person): prince@princeagri.com

24 Hour Emergency Phone Number: Chemtrec 1-800-424-9300 (CCN17224)

International: +1 703-527-3887

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Danger

Hazard statements
 Causes skin irritation
 Causes serious eye irritation
 May cause cancer
 May cause respiratory irritation. May cause drowsiness or dizziness
 May cause damage to organs through prolonged or repeated exposure



Appearance No information available **Physical state** Solid **Odor** Odorless

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Use only outdoors or in a well-ventilated area
 Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 Specific treatment
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF ON SKIN: Wash with plenty of soap and water
 If skin irritation occurs: Get medical advice/attention
 Take off contaminated clothing and wash before reuse
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Storage

Store locked up
 Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Pure substance/mixture Mixture

Chemical Name	CAS No	Weight-%	Trade Secret
Iron oxide (Fe ₂ O ₃)	1309-37-1	60 - 100	*
Quartz	14808-60-7	3 - 7	*

Aluminum oxide	1344-28-1	1 - 5	*
Magnesium oxide (MgO)	1309-48-4	1 - 5	*
Calcium oxide	1305-78-8	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

- Eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
- Inhalation:** Remove to fresh air.
- Skin Contact:** Wash skin with soap and water.
- Ingestion:** Consult a physician if necessary.

Most important symptoms and effects, both acute and delayed

Symptoms: No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians: Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Extinguishing media

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media: Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical: No information available.

Explosion data

Sensitivity to Mechanical Impact: None.

Sensitivity to Static Discharge: None.

Protective equipment and precautions for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

- Personal precautions:** Ensure adequate ventilation, especially in confined areas.
- For emergency responders:** Use personal protection recommended in Section 8. Use personal protective equipment as required.
- Environmental precautions:** See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment: Prevent further leakage or spillage if safe to do so.

Methods for cleaning up: Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling: Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials: None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	CAS No	ACGIH TLV	OSHA PEL	NIOSH IDLH
Iron oxide (Fe ₂ O ₃)	1309-37-1	TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ fume TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ fume and total dust Iron oxide (vacated) TWA: 5 mg/m ³ respirable fraction regulated under Rouge	IDLH: 2500 mg/m ³ Fe dust and fume TWA: 5 mg/m ³ Fe dust and fume
Quartz	14808-60-7	TWA: 0.025 mg/m ³ respirable fraction	(vacated) TWA: 0.1 mg/m ³ respirable dust : (30)/(%SiO ₂ + 2) mg/m ³ TWA total dust : (250)/(%SiO ₂ + 5) mppcf TWA respirable fraction : (10)/(%SiO ₂ + 2) mg/m ³ TWA respirable fraction	IDLH: 50 mg/m ³ respirable dust TWA: 0.05 mg/m ³ respirable dust
Aluminum oxide	1344-28-1	TWA: 1 mg/m ³ respirable fraction	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 10 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	-
Magnesium oxide (MgO)	1309-48-4	TWA: 10 mg/m ³ inhalable fraction	TWA: 15 mg/m ³ fume, total particulate (vacated) TWA: 10 mg/m ³ fume and total particulate	IDLH: 750 mg/m ³ fume
Calcium oxide	1305-78-8	TWA: 2 mg/m ³	TWA: 5 mg/m ³ (vacated) TWA: 5 mg/m ³ not in effect as a result of reconsideration	IDLH: 25 mg/m ³ TWA: 2 mg/m ³

NIOSH IDLH *Immediately Dangerous to Life or Health*

Other Information: Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls: Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

General Hygiene Considerations: Handle in accordance with good industrial hygiene and safety practice.

Eye/face protection: No special technical protective measures are necessary.

Skin and body protection: No special technical protective measures are necessary.

Respiratory protection: If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	Solid	Odor	Odorless
Appearance	No information available	Odor threshold	No information available
Color	red, red brown		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting Point / Freezing Point	= 3092 °F	
Boiling point / boiling range	No information available	
Flash point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	4.5	
Water solubility	Insoluble in water	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available
Percent Volatile	No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information:	No data available
Inhalation:	No data available.
Eye contact:	No data available.
Skin Contact:	No data available.
Ingestion:	No data available.

Chemical Name	CAS No	Oral LD50	Dermal LD50	Inhalation LC50
Iron oxide (Fe ₂ O ₃)	1309-37-1	> 10000 mg/kg (Rat)	-	-
Quartz	14808-60-7	= 500 mg/kg (Rat)	-	-
Aluminum oxide	1344-28-1	> 5000 mg/kg (Rat)	-	-
Calcium oxide	1305-78-8	= 500 mg/kg (Rat)	-	-

Information on toxicological effects

Symptoms: No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization: No information available.
Germ cell mutagenicity: No information available.
Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	CAS No	ACGIH	IARC	NTP	OSHA
Iron oxide (Fe ₂ O ₃)	1309-37-1	-	Group 3	-	-
Quartz	14808-60-7	A2	Group 1	Known	X

ACGIH (American Conference of Governmental Industrial Hygienists)
 A2 - Suspected Human Carcinogen
 IARC (International Agency for Research on Cancer)
 Group 1 - Carcinogenic to Humans
 Not classifiable as a human carcinogen

NTP (National Toxicology Program)
 Known - Known Carcinogen
 OSHA (Occupational Safety and Health Administration of the US Department of Labor)
 X - Present

Reproductive toxicity: No information available.
STOT - single exposure: No information available.
STOT - repeated exposure: No information available.
Target Organ Effects: Eyes, lungs, Respiratory system, Skin.
Aspiration hazard: No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document . mg/kg 9886

12. ECOLOGICAL INFORMATION

Ecotoxicity

104% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	CAS No	Algae/aquatic plants	Fish	Crustacea
Calcium oxide	1305-78-8	-	1070: 96 h Cyprinus carpio mg/L LC50 static	-

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

No information available.

Other adverse effects: No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes: Refer to all federal, state and local regulations prior to disposal of container and unused contents by reuse, recycle or disposal. Disposal should be in accordance with applicable regional, national and local laws and regulations. Avoid runoff to waterways and sewers. Recover or recycle if possible. Send to a licensed recycler, reclaimer or incinerator.

Disposal methods: Do not reuse container.

14. TRANSPORT INFORMATION

Note: Store in a closed container. Keep container upright.

DOT Not regulated

IATA Not regulated

IMDG Not regulated

TDG Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA:	Complies
DSL/NDSL:	Complies
EINECS/ELINCS:	Complies
ENCS:	Complies
IECSC:	Complies
KECL:	Complies
PICCS:	Complies
AICS:	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances
 AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS No	SARA 313 - Threshold Values %
Aluminum oxide	1344-28-1	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	CAS No	California Proposition 65
Quartz	14808-60-7	Carcinogen

U.S. State Right-to-Know Regulations

No information available

Chemical Name	CAS No	New Jersey	Massachusetts	Pennsylvania
Iron oxide (Fe ₂ O ₃)	1309-37-1	X	X	X
Quartz	14808-60-7	X	X	X
Aluminum oxide	1344-28-1	X	X	X
Calcium oxide	1305-78-8	X	X	X
Magnesium oxide (MgO)	1309-48-4	X	X	X

Canada

No information available

WHMIS Hazard Class D2A - Very toxic materials



16. OTHER INFORMATION

NFPA	Health hazards 3	Flammability 0	Instability 0	Physical & Chemical Properties 0
HMIS	Health hazards *3	Flammability 0	Physical hazards 0	Personal protection E

Document Review

Revision Number: 1

Revision Note: No information available

Key or legend to abbreviations and acronyms used in the safety data sheet:
 Bioconcentration factor (BCF)
 International Air Transport Association (IATA)
 Globally Harmonized System (GHS)
 International Maritime Dangerous Goods (IMDG)

Disclaimer

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

The information contained in this Material Safety Data Sheet ("MSDS") is provided solely to comply with the requirements of federal, state and other applicable law. The information contained herein applies only to the actual product of Phibro Animal Health Corporation and its affiliates ("PAHC") identified and described herein. This information is not intended to address, nor does it address the use or application of the identified PAHC product either alone or in combination with any material, product or process. All of the information set forth herein is based on technical data regarding the identified product that PAHC believes to be reliable as of the date hereof. Prior to each use of any PAHC product, the user must always read and follow the warnings and instructions on the product's current Technical Data Sheet product label and Material Safety Data Sheet for each PAHC product, which are available by telephone number listed in Section 1 of this MSDS.

PAHC MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE OR APPLICATION. PAHC SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER WHICH INFRINGES ANY PATENT OR ANY OTHER INTELLECTUALPROPERTY RIGHTS HELD BY ANY PARTY.

All sales of PAHC products are subject to its current terms and conditions of sale.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

RED IRON OXIDE/ ROUGE

Revision Date 03/24/2015

End of Safety Data Sheet