

Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

| Product identifier | Ultrasol 20-20-20 Multi-Purpose | |
|--|---|--|
| Recommended uses: | | |
| Fertilizer end-use, preparation of fertili | zers mixtures. | |
| Dry fertilizer for mixing with water for f | oliar and soil applications. | |
| Restrictions on uses: | | |
| None | | |
| Manufacturer | SQM North America | |
| | 2727 Paces Ferry Rd, Building Two, Suite 1425 | |
| | Atlanta, GA 30339 | |
| Company Telephone/Fax | (770) 916 9400 / (770) 916 9404 | |
| Emergency Telephone Number | (800) 424 9300 (CHEMTREC) | |

2. HAZARDS IDENTIFICATION

Classification of the mixture

Classification of the chemical in accordance with 29CFR §1910.1200 Hazard classes and Hazard categories Hazard statements

Toxic to reproduction cat. 1B

Hazard statements May damage fertility. May damage the unborn child.

Label elements Hazard pictograms



Signal word Hazard Statements

May damage fertility. May damage the unborn child.

Precautionary Statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Wear protective gloves / protective clothing / eye protection.

IF exposed or concerned: Get medical advice/attention.

Store locked up

Dispose of contents/container according to local/state/federal regulations.

Other hazards

None

Classification of the relevant ingredients of the mixture in accordance with 29CFR §1910.1200

| Potassium nitrate | Oxidizing solid, Cat. 3 |
|-------------------|--------------------------------|
| Boric acid | Toxic to reproduction, Cat. 1B |

3. COMPOSITION/INFORMATION ON INGREDIENTS

| This product is to be considered as a mixture/preparation | | | |
|---|------------|-----------|---------------|
| Substance name | CAS No | EC No | Concentration |
| Potassium nitrate | 7757-79-1 | 231-818-8 | 5% - 50% |
| Boric acid | 10043-35-3 | 233-139-2 | < 3% |
| Perchlorate (ClO ₄) | | | < 0.01% |
| lodate (IO ₃ ⁻) | | | < 50 ppm |

4. FIRST AID MEASURES

Description of first aid measures General information

In case of persisting adverse effects consult a physician.

Never give anything by mouth to an unconscious person or a person with cramps.



Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

| Remove to fresh air and k | eep at rest in a position comfortable for breat | thing. |
|-------------------------------|---|---|
| Get medical attention for | any breathing difficulty. | |
| In case of skin contact | | |
| Wash with plenty of soap | and water. | |
| If skin irritation occurs: G | et medical advice/attention. | |
| In case of eye contact | | |
| Rinse cautiously with wat | er for several minutes. Remove contact lenses | s, if present and easy to do. Continue rinsing. |
| If eye irritation persists: G | Get medical advice/attention. | |
| In case of ingestion | | |
| Rinse mouth and drink pl | enty of water. Do not induce vomiting. | |
| • | doctor/physician if you feel unwell. | |
| Most important symptor | ns and effects, both acute and delayed | |
| The following symptoms | may occur: | |
| In case of inhalation | Irritation to respiratory tract | |
| | Delayed lung effects after short term expo | sure to thermal degradation products. |
| In case of skin contact | May cause redness or irritation | |
| In case of eye contact | May cause redness or irritation | |
| in cuse of eye contact | Induction of large amounts may cause: | gastrointestinal disturbances |
| In case of ingestion | Ingestion of large amounts may cause: | |

5. FIRE FIGHTING MEASURES

Suitable extinguishing media:

Extinguishing media

Use any suitable mean for extinguishing surrounding fire.

Unsuitable material:

None, but attention should be paid to compatibility with chemicals surrounding.

Specific hazards arising from the chemical

Thermal decomposition can lead to the escape of toxic/corrosive gases and vapours.

Thermal decomposition products: Nitrous oxides (NOx), nitrites, phosphorus oxides, ammonia and metallic oxides.

Protective equipment and precautions for firefighters

Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (self contained breathing apparatus (SCBA)).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Provide adequate ventilation. Wear personal protection equipment (Section 8).

Environmental precautions

Do not allow to enter into surface water or drains. Ensure waste is collected and contained.

Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal or recovery.

Unsuitable material for containment/taking up: None specified

Other information

None

7. HANDLING AND STORAGE

Precautions for Safe Handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid generation of dust. Provide adequate ventilation. Wear personal protective equipment. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

Conditions for safe storage, including any incompatibilities

Keep/store only in original container. Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

| | | Potassium nitrate | Boric acid |
|-----------|---|---------------------------|---------------------------------------|
| OSHA | PEL | Not Established | Not Established |
| | STEL/ceiling | Not Established | Not Established |
| ACGIH (20 |)12 TLVs [®] and BEIs [®]) | | |
| | TWA | Not Established | 2 mg/m ³ (inhal. fraction) |
| | STEL/ceiling | Not Established | 6 mg/m ³ (inhal. fraction) |
| Derived N | Io-Effect Level (DNEL) sugge | ested by the manufacturer | |

| Workers (maastrial) professional). | |
|---|---------------------------|
| Potassium nitrate | |
| DNEL Human, dermal, long term (repeated): | 20.8 mg/kg/day (systemic) |
| DNEL Human, inhalation, long term (repeated): 36.7 mg/m ³ (systemic) | |
| Boric acid | |
| DNEL Human, dermal, long term (repeated): | 4800 mg B/day (systemic) |

Derived No-Effect Level (DNEL) is the level of exposure to the substance above which humans should not be exposed.

Engineering controls

Exposure Guidelines

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal Protective Equipment

| Eye/face protection | Chemical goggles required all the time. |
|------------------------|---|
| Skin Protection | Nitrile rubber gloves, over 0.11 mm thickness, > 480 min breakthrough time, recommended. Overall. |
| Respiratory Protection | Wear respiratory protection, where airborne concentrations are expected to exceed exposure limits |

General Hygiene Considerations

Avoid contact with eyes and skin. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

| Information on basic physical and chemical properties | | | |
|---|---------------------------------------|--|--|
| Appearance | Solid, granular or crystalline powder | | |
| Colour | white to pale blue | | |
| Odour | Odourless | | |
| Odour Threshold | No applicable | | |
| pH value | No data available | | |
| Melting point / freezing range | No data available | | |
| Boiling temperature / boiling range | Not applicable | | |
| Flash point | Not applicable | | |
| Vapourisation rate / Evaporation rate | No data available | | |
| Flammable solids | Not flammable | | |
| Explosion limits (LEL, UEL) | Not applicable | | |
| Vapour pressure | No data available | | |
| Vapour density | No data available | | |



Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

- Relative Density Solubility Partition coefficient n-octanol /water Auto Ignition temperature (AIT) Decomposition temperature Viscosity Explosive properties Oxidising properties **Other information** None
- No data available > 100 g/L at 20°C/68°F (water) Not applicable Not applicable No data available Not applicable Not explosive Not oxidizer

10. STABILITY AND REACTIVITY

Reactivity No hazardous reaction when handled and stored according to provisions. Chemical stability Stable under normal storage and temperature conditions. Possibility of hazardous reactions None identified Conditions to avoid None identified Incompatible materials None identified Hazardous decomposition products Thermal decomposition products:

11. TOXICOLOGICAL INFORMATION

The following information mostly refers to the major component of the product.

Likely routes of exposure (inhalation, ingestion, skin and eye contact)

Eye contact, skin contact and inhalation. Exposure by ingestion is not expected to occur through normal industrial or agricultural use.

Symptoms related to the physical, chemical and toxicological characteristics

May be irritant to the respiratory tract. May cause redness or irritation to the skin and eyes. Ingestion of large amounts may cause gastrointestinal disturbances. May cause delayed lung effects after short term exposure to thermal degradation products.

Information on toxicological effects from short and long term exposure

There is no data for the mixture itself.

Acute toxicity

| Acute toxicity | | | |
|---|---|--|--|
| Acute oral toxicity | LD50: | | |
| Acute Toxicity Estimate for the mixture | > 2000 mg/kg bw | (additivity formula) | |
| Potassium nitrate | >2000 mg/kg bw | | |
| Boric acid | 3765 mg/kg bw | | |
| Assessment / classification: | Based on available data for the ingredients of the mixture, the classification criteria | | |
| | are not met. | | |
| Irritant and corrosive effects | | | |
| Irritation to the skin | Result | Method | |
| Potassium nitrate | non-irritant. | Equivalent/similar to OECD guideline 404 | |
| Boric acid | non-irritant. | Equivalent/similar to OECD guideline 404 | |
| Assessment / classification: | Based on available data | a, the classification criteria are not met | |
| Irritation to eyes | Result | Method | |
| Potassium nitrate | Not-irritating | OECD Guideline 405 | |
| Boric acid | Not-irritating | Equivalent/similar to OECD guideline 405 | |
| Assessment / classification: | Based on available data | a, the classification criteria are not met | |
| | | 1 of | |



Product Code: Date of issue:

NC.2202020_112_02_US August 2013

Supersedes: September 2009

| Respiratory | or skin sensitisation | | | | |
|------------------------------|--------------------------------|--|------------------------------------|----------------------------------|--|
| Skin sensitiza | | Result | Method | | |
| Potassium ni | trate | not sensitizing. | OECD Guideline 429 | | |
| Boric acid | | not sensitizing. | OECD Guideline 406 | | |
| Respiratory s | ensitisation | No information available | 2. | | |
| Assessment / | classification: | Based on available data, | the classification criteria are no | ot met | |
| Genetic effe | cts | | | | |
| The product | does not contain ingredients | classified as germ cell mutage | ens. | | |
| | | Bacterial (Ames Test) | Chromosomal aberrations | Mutation in mammalian cells | |
| Potassium ni | trate | negative | negative | negative | |
| Boric acid | | negative | negative | negative | |
| Assessment / | classification: | Based on available data, | the classification criteria are no | ot met | |
| Reproductive | e toxicity | | | | |
| Adverse effe | cts on sexual function and fer | tility/developmental toxicity | | | |
| | | OECD guideline 422. | | | |
| Potassium ni | trate | No adverse effects on f | ertility/development (NOAEL > | 1500 mg/kg bw). | |
| Boric acid | fertility | NOAEL (male rats): 17.5 | mg B/kg bw/day (Multigenerat | ion study) | |
| | | Boron has been shown to adversely affect male reproduction in laboratory animals, | | | |
| | | however, male repro | ductive effects attributable | to boron have not been | |
| | | demonstrated in studies | of highly exposed workers. | | |
| | developmental toxicity | Benchmark dose (BMDL05): 10.3 mg B/kg bw/day | | | |
| | | Developmental effects have been observed in laboratory animals. The critical effect | | | |
| | | is considered to be decreased fetal body weight in rats. There is no evidence of | | | |
| | | developmental effects in humans attributable to boron in studies of populations with | | | |
| | | high exposures to boron | | | |
| Assessment / classification: | | Based on available data for ingredients of the mixture, this product is classified and | | | |
| | | labelled as Presumed human reproductive toxicant, Category 1B, in accordance | | | |
| | | with Appendix A to 29CF | R section 1910.1200. | | |
| Specific targe | et organ toxicity (single expo | sure) | | | |
| The product | does not contain relevant ing | redients classified as Target C | Organ Toxicant after single expo | sure. | |
| | | Practical experience / hu | ıman evidence | | |
| Potassium ni | trate | No relevant effect have | been observed after single expo | osure to potassium nitrate. | |
| Boric acid | | No relevant effect have | been observed after single ex | posure to the substance. No | |
| | | reliable study supports t | he designation of boric acid as | a respiratory irritant. | |
| Assessment / | classification: | Based on available data, | the classification criteria are no | ot met | |
| Specific targe | et organ toxicity (repeated e | xposure) | | | |
| | | Organs affected: | Effects | Guideline | |
| Potassium ni | trate | None | No effects (NOAEL >1500 r | ng/kg bw) OECD 422 | |
| Boric acid | | Testes | NOAEL (chronic, rat): 17.5 | mg B/kg bw/day | |
| A number of | studies on boric acid or disc | odium tetraborate decahydra | te in diet or via drinking water | for periods of 30 days to two | |
| years in rats, | mice and dogs are available | . Most studies support that b | ooron can cause adverse haem | atological effects and that the | |
| main target o | organ of boron toxicity is the | testis. | | | |
| Assessment / | classification: | Based on available data | for ingredients of the mixture | , this product is classified and | |
| | | labelled as Presumed h | numan reproductive toxicant, | Category 1B, in accordance | |
| | | with Appendix A to 29CF | R section 1910.1200. | | |
| Aspiration ha | azard | | | | |
| | | | | | |

Physicochemical data and toxicological information does not indicate an aspiration hazard. Assessment / classification: Based on available data, the classification criteria are not met

| | Safety Data Sheet | according to | OSHA-GHS (29 CF | R part 1910 | .1200 HCS 2012) |
|--------------|--------------------------------|--------------|--|----------------------|---|
| | PRODUCT NAME | ULTRASOL | . 20-20-20 MULTI-PU | RPOSE | |
| SQM | Product Code: | NC.2202020_ | _112_02_US | | |
| HE WORLDWIDE | Date of issue: | August 2013 | | Supersedes: | September 2009 |
| Carcinoge | nicity | | | | |
| Internation | nal Agency for Research on Car | ncer (IARC) | No component of this p probable, possible or cor | • | t levels ≥0.1% is identified as arcinogen by IARC. |
| National To | oxicology Program (NTP) | | No component of this p known or anticipated car | | t levels ≥0.1% is identified as |
| 29 CFR par | rt 1910, subpart Z | | No component of this p carcinogen or potencial of | | t levels ≥0.1% is identified as HA. |
| California I | Proposition 65 | | No component of this p carcinogen by California | | t levels ≥0.1% is identified as |
| WHO (200 | 3) Nitrate in drinking water | | No association between cancer | nitrate exposure | in humans and the risk of |
| Assessmen | nt / classification: | Based on ava | ilable data, the classificati | on criteria is not i | met |
| · | | | | | |

Other Toxicological Information

This product contains trace amounts of naturally-occurring perchlorate and iodate. Like other goitrogenic substances, perchlorate may affect iodine uptake by thyroid under specific conditions.

12. ECOLOGICAL INFORMATION

There is no data for the mixture itself. The following information mostly refers to the major component of the product. **Ecotoxicity**

Aquatic Toxicity

Potassium nitrate

| 96-h LC50 | 1378 mg/L | Poecilia reticulata (freshwater fish) |
|-----------------------------|------------------|--|
| 24-h EC50 | 490 mg/L | Daphnia magna (fresh water flea). |
| 10 d EC50 | > 1700 mg/L | Several algae species |
| Boric acid | | |
| 96-h LC50 | 74 - 725 mg B/L | Fish |
| 48-h EC50 | 45 - 1376 mg B/L | Aquatic invertebrates |
| 72-h EC50 | 40 mg B/L | Algae (Pseudokirchneriella subcapitata) |
| Assessment / classification | Based | on available data, the classification criteria are not met |
| | | |

Persistence and degradability

The product contains mainly inorganic nitrate and phosphate salts. In aqueous solutions, these salts dissociate into their respective ions. Phosphate ions are finally incorporated into the Phosphorus cycle. Under anoxic conditions, denitrification occurs and nitrate is ultimately converted into molecular nitrogen as part of the Nitrogen cycle.

Bioaccumulative potential

Low potential for bioaccumulation based on physicochemical properties of main components.

Mobility in soil

The components of this mixture have a low potential for adsorption. Portion not taken up by plants, can leach to groundwater. **Other adverse effects**

Excess nitrate leaching may enrich waters leading to eutrophication.

13. DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable federal and state laws.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal method in compliance with applicable regulations.

This product is not listed as dangerous waste in the Resource Conservation and Recovery Act (RCRA) 40 CFR 261.

Perchlorate containing product - Special handling may apply. See www.dtsc.ca.gov/hazardouswaste/perchlorate and Section 15 for more information regarding California State regulations.



Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

| US DOT (49CFR part 172) | |
|---------------------------------------|---|
| UN-No. | Non dangerous good |
| UN Proper Shipping Name | Not applicable |
| Hazard class | Not applicable |
| Packing group | Not applicable |
| Hazard label(s) | Not applicable |
| Special marking | No |
| Special Provision | No |
| International Maritime Organization | n (IMDG Code) |
| UN-No. | Non dangerous good |
| UN Proper Shipping Name | Not applicable |
| Hazard class | Not applicable |
| Packing group | Not applicable |
| Marine pollutant | No |
| Hazard label(s) | Not applicable |
| Special marking | No |
| International Civil Aviation Organiza | ation (ICAO) and International Air Transport Association (IATA) |
| UN-No. | Non dangerous good |
| UN Proper Shipping Name | Not applicable |
| Hazard class | Not applicable |
| Packing group | Not applicable |
| Hazard label | Not applicable |
| Special marking | No |
| Special handling procedure | |
| None | |
| Transport in bulk according to Anne | ex II of MARPOL 73/78 and the IBC Code |
| Not applicable | |
| Other special precautions | |

15. REGULATORY INFORMATION

| US Federal | | | | |
|---|---------------------|---------------|-----------------------------|--|
| SARA Title III | Rules | | | |
| | Section 311/312 Ha | azard Classes | | |
| | Acute Health Hazar | ď | No | |
| | Chronic Health Haz | ard | Yes (Toxic to reproduction) | |
| | Fire Hazard | | No | |
| | Release of Pressure | 2 | No | |
| | Reactive Hazard | | No | |
| Section 313 T | oxic Chemicals | | | |
| N511 Nitrate compounds (water dissociable; reportable only when in aqueous solution | | | | |
| Section 302 Extremely Hazardous Substances (EHS)/CERCLA Hazardous Substances | | | | |
| None ingredient is listed. | | | | |
| NFPA 704/2012: National Fire Protection Association | | | | |
| | Health | 1 | | |
| | Fire | 0 | | |
| | Reactivity | 0 | | |
| | Special | None | | |
| | | | | |



Product Code: Date of issue: NC.2202020_112_02_US August 2013

Supersedes: September 2009

| US State Regulations | |
|--|--|
| California Proposition 65 | None ingredient is listed. |
| California Code of Regulations Title 22 (Health & Safety | See http://www.dtsc.ca.gov/hazardouswaste/perchlorate/ |
| Code), Chapter 33 | |
| Chemical Inventories | |
| United States TSCA | All ingredients are listed |
| Canada DSL | All ingredients are listed |
| European Union (EINECS) | All ingredients are listed |
| Japan (METI) | All ingredients are listed |
| | |

16. OTHER INFORMATION

This SDS complies with 29 CFR part 1910 subpart Z (2012) and ANSI Standard Z400.1-2004

| Prepared by | Regulatory Affairs Department, SQM |
|------------------|------------------------------------|
| E-mail | product_safety@sqm.com |
| | spn-northamerica@sqm.com |
| Preparation date | August 2013 |

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall SQM be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if SQM has been advised of the possibility of such damages.

Indication of changes

All sections were reviewed and modified to comply with 29CFR part 1910 subpart Z (2012).